



Specification(Double Girder With Double Rail Hoist)

MODEL	CAPA-CITY(ton)	MAX SPAN(m)	LIFT (m)	SPEED/MOTOR(m/min)/(kw)			APPROX.DIMENSIONS(mm)							TRAVELING WHEEL(mmØ)	TRAVELING WHEEL(kg/m)				
				HOISTING	TRAVERSING	TRAVELING	H	A	B	C	D	E	R						
OHD	3	10	9	4.5/2.8	16/0.5	16/0.75	420	2400	2000	250	1200	60	950	160	15				
		or 22/0.75				3000		2500	200										
		or 9/5.5				4050		3500	250					250					
		or 20/1.5 (1/16)				4600		4000	1300					315					
		or 24/0.7				3000		2500	300					1250		200			
5	15	5		30/1.5 (1/11.8)	510	3000	2500	300	1350	250	315		22						
OHD	5	20		9	4.2/4.2	5	20/1.5	510	3000	2500	300		1250	60	1150	200	22		
		or 5.6/5.5							3000	2500						1350		250	
		or 20/1.5							4100	3500						1400		315	
		or 30/2.2							4850	4000						350		1600	400
		or 10/0.5	3050						2500	300		1300				250		30	
OHD	10	15	9	4.5/9	10/0.5	20/1.5	750	3100	2500	300	1400	60	1150		315	22			
		or 15/0.75						3600	3000						1400		315		
		or 6/13						4350	3500						350		2000	400	30
		or 20/1.5						4850	4000						350		2000	400	30
		or 30/1.5						3350	2500						350		2000	400	30
OHD	15	20	12	3/8.5	10/1	20/1.5	995	3850	3000	400	2400		100	1200	500	30			
		or 4.5/1.3						4350	3500						400		2400	630	
		or 10/1						4950	4000						400		2400	500	30
		or 15/1.5						5500	4500						400		2400	630	30
		or 2.8/11.5						3850	3000						400		2000	400	37
OHD	20	15	18	2.8/11.5	15/1.5	20/1.5	1175	4350	3500	400	2500	100		1300	500	37			
		or 4.2/17						4950	4000						400		2500	630	
		or 20/1.5						5500	4500						400		2300	630	37
		or 30/2.2						3850	3000						400		2000	400	37
		or 10/1						4350	3500						400		2400	500	37
OHD	30	10	24	1.8/11.5	10/1 x 2	20/1.5	1480	5000	4000	450	2400		200	1800	500	37			
		or 2.8/17						5700	4500						450		2400	630	
		or 10/1 x 2						6300	5000						450		2600	710	
		or 15/1.5 x 2						4450	3500						450		2400	800	37
		or 30/3.7						3800	2500						450		2900	500 x 8	37
OHD	50	15	24	3.2/33	10/1.5 x 2	20/2.2 x 4	1680	5500	2900	450	3200	200		2300	500 x 8	37			
		or 1/2.2 x 2						6650	4000						450		3200	50	
		or 20/2.2 x 4						7750	5000						450		3200	50	
		or 30/3.7						5850	3300						450		3000	630 x 8	50
		or 15/2.2 x 2						6000	3400						450		3000	710 x 8	73
OHD	70	9	24	2.4/33	10/2.2 x 2	30/3.7	1780	6650	4000	450	3300		200	2800	710 x 8	73			
		or 15/2.2 x 2						7750	5000						450		3300	73	
		or 30/3.7						5850	3300						450		3000	73	
		or 15/2.2 x 2						6000	3400						450		3000	73	
		or 15/2.2 x 2						6650	4000						450		3300	73	